

# Computing needs for running experiments

---

- Look at 2 experiments:

	BaBar	CDF
Start of data taking	1999	2002
Run until	2010	2010
Italian physicists	~80	~60
- CDF is an evolution of previous experiment (1985)
- BaBar is brand new
- How much data/CPU ?
- What is done in US, what in Italy ?
- What are the needs in the INFN sites ?
  - Skip national farms (Caspur, CNAF)
- **Their data, my opinions**

# Centralita' dei servizi di calcolo: oltre il “computing”

---

- 90% dell'attivit  di un ricercatore   davanti ad un computer
  - Posta elettronica
  - Lettura documenti/articoli ( biblioteca → web )
  - Sviluppo software
  - Analisi
  - Scrittura documenti, presentazioni, articoli
  - CAD (elettronico, meccanico)
  - Test di elettronica/rivelatori
  - Controllo esperimento (anche remoto)
- Tutto questo dipende dai servizi di calcolo della sezione
  - GRAZIE

# 29/6/99 Commissione Calcolo a Napoli: Bisogni di CDF nel Run II (2000 - 2003 - ...)

---

- Cominciamo dalla fine, i bisogni:
  - **RETE! RETE!! RETE !!!**
    - intercontinentale **OK! OK!! OK!!!**
    - italiana **Ma: niente relax**
    - locale
  - system management: **linux** **→ ci siamo, ancora ~nascosto**
  - licenze: compilatore C++: KAI **Niente licenza, gcc in arrivo**
  - supporto software: Root, C++, Java, SMO **Ancora li' + Python**
  - collaborazione a distanza: videoconf + application sharing
  - ancora rete: Qualita' di Servizio **Ancora un bisogno, minori  
speranze: bastano reti  
sovradimensionate !?**

# CDF vs BaBar (in numbers)

- Data (Root I/O)
  - $10^9$  events/year
  - 250KB/event
  - 500TB/year data (not yet)
- HW at FNAL
  - 200 duals now (1K coming)
  - 128-CPU SMP leaving
  - 30TB disk (200 coming)
- User's analysis
  - ~100 data sets ~1TB each
  - TOO MUCH TO COPY

CENTRAL MODEL

- Data (Objectivity + Root I/O)
  - $5 \times 10^9$  events/year
  - 30KB/event
  - 550TB total data now
- HW at SLAC
  - O(1500) machines now
  - 40TB disk
- User's analysis
  - "micro" now ~10TB total
  - CAN COPY

HIERARCHICAL

Tier A-B-C

# CDF vs BaBar (in words)

---

- Similar disk/CPU requirements
  - Central analysis farm:  $O(1000)$  machines
  - Central data repository:  $O(100)$ TB on disk,  $O(1)$ PB on tape

CDF has more (more complex) data

BaBar has Objectivity
- CDF started with one big + many very small computing centers
  - can't move data
  - political/practical reasons (manpower e.g.)
- BaBar started with one big + few medium + many small
  - can move data
  - Objectivity encourage this (but makes it very hard)
  - political/practical reasons (cost share)

# Computing Model Dictionary

---

- Try to use common definitions (from BaBar)
  - **Tier A ~1000 CPU**
    - stores raw data (the PetaBytes)
    - run reconstruction
    - allow analysis of “ALL” reconstructed data
    - produces MC
    - accessed from everybody, anytime (7x24)
    - provides several GRID-like services
  - **Tier B ~ 100 CPU**
    - allow analysis of “SOME” reconstructed data
    - produces MC
  - **Tier C ~ 10 CPU**
    - allow analysis of “LITTLE” reconstructed data

# CDF/BaBar Italy Computing Models

---

- **Past** (plan)
  - **Tier A/B** at FNAL
  - **Tier C** in Italy (3~4)
- **Present**
  - Building our **Tier B** at FNAL (easy, just buy)
  - No **Tier C**
- **Next**
  - **Tier B+** at CNAF
  - GRID (EDG, DataTAG)
- **Future**
  - Interactive at CNAF ?
- **Past**
  - **Tier A** at SLAC
  - national INFN **Tier B** at Caspur

much, much work
- **Present**
  - **Tier A** at Padova-SLAC-IN2P3-PPARC
  - **MC** at Roma1
- **Next**
  - GRID (EDG)
- **Future**
  - **Tier A,MC**: Pd,Rm → CNAF ?

# Computing Model evolution

---

- In CDF some “small” (Italy, UK...) growing to medium+  
O(100) nodes, access to all collab (no Tier spec)  
now can move lots of data  
want share hw across countries (too many data)
- In BaBar top big one is splitting, therefore Italian  
medium one is growing (30→110 nodes)
  - BaBar keeps very distributed MC production  
little impact on Italy
- CDF+BaBar converging toward one large computing  
facility (at CNAF) embedded in a world-wide GRID  
structure
- Both will do without local mini-farms
  - Taking data and analysing them is a lot of work
  - A large working farm is a lot of work

BaBar Padova: 12 people to build reprocessing



# **The BaBar reprocessing farm:**

**largest INFN computing facility**

**largest italian IBM Linux cluster**

---

# BaBar Reprocessing farm fully cabled

---

# CDF needs

---

- Access to Fermilab
  - Kerberos. Soon add GRID (non-EDG)
- Access to Regional Center(s) (also outside Italy)
  - GRID
- Interactive work =
  - Histogram (paw/root): 2GHz + 1GB + 200GB
  - Code develop/debug: add CDF sw (AFS, 2GB cache)
  - Job submission: GRID/Kerberos
- Interactive work locally means one of the two:
  - Heavy Desktop (2CPU, 4 disks, frequent upgrade)
  - Light Desktop (~X-term , more flexible)

mini-farm with non-batch access

# BaBar needs

---

- Continued support for (growing) farms in Padova and Roma
  - Mostly ran by experiment personnel (both physicists and computing)
  - BaBar people take care remotely of farm needs
    - decentralized manpower (make everybody usefull)
    - centralized hardware (make workload minimal)
    - single facility (make any work serve everybody)
- No other farms planned
- Support for interactive work everywhere
  - My guess is that this is similar to CDF
- GRID soon

# Esperimento in Running: l'esperienza di CDF

---

- **Stabilita'**
  - Ambiente definito, costante, funzionante  
possibile pianificare lavoro in base a cosa c'e'/ci sara'  
niente promesse a vuoto please
- **Continuita'**
  - Non si possono perdere giorni od ore di lavoro (sul rivelatore e' sempre un'emergenza) perche' si e' rotta una macchina/disco o perche' si cerca di fare meglio quando bene era sufficiente
- **Minimo garantito**
  - Servizi essenziali innanzi tutto
  - Nuove soluzioni: con cautela
  - Sicurezza: non gabbia

## Il “minimo garantito ovunque per tutti”

---

- Net (also wireless)
  - Security, but also access to and from outside
  - data copy, GRID
- E-mail 24x7 from anywhere
  - IMAP, IMHO, backup
- Windows+Linux, ps+pdf
  - Calcolo : Linux
  - Talks+Ammin:
- Eterno problema: il manpower
- Copiare ? Centralizzare/clonare (e-mail, print, web, MS-Office) ?
  - Eg: my web page = directory AFS, PPT = Citrix @ FNAL
- Desktops
- Home directories
- Scratch areas
- Web server
- Mail list server
- Local clusters must be robust
  - Dual hosts, RAID, Backup, UPS
- Printers
- Laptop

# CDF wishes: software

---

- Large, neverending need for software development
  - C++ - Java - Html - Perl - Python - Root - SMQL - cvs - gdb - (x)emacs - Netscape - Memory checker - code optimisation...
- Aiuto = Consulenza
  - esperti dal servizio calcolo ?
- Aiuto = Sviluppo
  - possibile passare al servizio calcolo lo sviluppo di tools, GUI's, pezzetti di package ?
  - non tanto un bisogno quanto un'opportunità'
  - il calcolo come la meccanica e l'elettronica: fornire parti critiche e qualificanti di un esperimento
  - Succede in realta', ma in modo un po' personale, scoordinato e con grandi differenze di qualita'

# Conclusioni

---

- “The computer is the network”
- Architettura:
  - **Most computing work done in a few dedicated places**

Alcuni servizi di calcolo (Padova e.g.) hanno le competenze per rendere possibili farms “di produzione”, ma..

Farm = heavy work → minimize, optimize
  - **Sezione = portale ai servizi**

Mail – web – GRID

Unix + Windows
- Software:
  - Gli esperimenti si arrangiano grazie ai laboratori (esteri)

molta frammentazione, nessuna soluzione diventa di tutti
  - C’e’ spazio nell’INFN per un “servizio di consulenza e sviluppo sw di alto livello”



# Spare Slides

Da qui in poi sono solo slides spares,  
miscellanee, etc.

# CDF numbers (2004) and analysis steps

- Data: 500TB/year
- Reco: 5sec/ev
- Ana: 1sec/ev

Step	INPUT	OUT vs IN	Who When	Where	What hardware
Reconstruction	200TB	x2	CDF (2~3 times)	Farm at FNAL (now)	200 duals
Skim	400TB	1/4	10 Groups	Same as above	Same as above
Batch Analysis	1TB	1/10 ~ 1/100	1/week ~ 200 Users	Farm at FNAL (to do)	O(500) duals + O(200)TB
Interactive Analysis	10GB ~ 100GB	1/1000 plots !	1/day ~ 200 Users 1/hour	Home	1 dual + 200GB / user

- Everything grows x2/1.5year to keep up with data (Moore)

➤ Mostly replace hw every 3 years, ~same number of

# Computing model for Italian CDF data analysis

---

- Until CNAF Regional Center is up:
  - Everything  $O(10\text{TB})$  or more at FNAL
  - Make n-tuple at FNAL and copy to Italy:  $O(100\text{GB})/\text{user}$
  - Limited copy of frequently used data sets:  $O(1\text{TB})/\text{site}$
  - Hardware in Italy INFN sites:
    - access to FNAL
    - interactive work
    - mini-farms for local data sets:  $O(10\text{CPU})$
- After
  - Everything  $O(100\text{TB})$  or more at FNAL
  - Copy of analysis data sets to CNAF:  $O(10\text{TB})$
  - Hardware in Italy INFN sites



# Computing Model evolution

Data →

2-way  
Data

MC  
out →

CDF



BaBar

